

Selection

**Selection**

# index

executive	4
office chairs	40
passe-partout	84
community	104
lounge	112
technical data	137

# Selection

executive

eva



6

hera



12

time



16

madera



20

madera elite



28

age



32

senior



38



eva



EV01AC5CT5





EV01AC5CT5



EV01CSLCA1

eva



EV01BP1CT6



EV01AC5CT5



hera



HEMDB21006



HEVDB00000



HEDDB11005



HEVDA00000



HEDDA11005

HEODA11005

time



TI30BC6CT5



TI00CSLPT1



TI30AC6CT5



time



TI30AC6CT5



TI30BP1CT6



madera



MAD2H1U4C9





MAD4N1T7A9



madera

madera



MAM4N2C7A6



madera



MAV4H100A0



PS13ASLCA1



PS13CSLCA1



madera elite



MRD1A1U7A8



MRM1A2U7A6



MRV1A100A0

age



AGD001ACC9







AGO001AD09

AGD001AD09



AGV0010D00



age



senior



SE01AT4CT5











SE01CSLCA1



SE01AT4CT5

# Selection

office chairs

sit-go		42
camaleont		46
team air		52
team up manager		60
team up smart		62
team w.		66
team w. medium back		70
get-it		76
target		80

sit-go



GOO1AP4700

sit-go



G001AP4700



camaleont air



CASA0CD490







CASD0CA490



CASD0CE490



CAVD0C1C00



CA35AE3CT5



CA35AE3CT5



CAVT0C1D00

team air



TA060I148A  
+ TSBREG04





TWT40I145A  
+ TSBREG04

team air





team air



TWT10M139A  
+ TSBREG05

team air



TWW10M149A  
+ TSBREG04



PSVRCT1C00



PSVRDT1D00

team up manager



TUS30I139A  
+ TSBREG04



team up smart



TSO20I49A  
+  
TSBREG04

team up smart



TSO2AI1590  
+ TWBR02







TWO20D1190  
+ TWBREG15PU

team w.

TWO20D1190  
+ TWBR01



team w.



TWC60A2D10



TWR6011460



team w.



TWB30G15GG  
+ TWBR0G

team w.



TWB30G1150  
+ TWBR01



team



TWT10M139A  
+ TSBREG05



TUS30D149A  
+ TSBREG04



TSO20C149A  
+ TSBREG04



TUO20C1190  
+ TWBR01



TWB30G115A  
+ TWBR01



TWB410H180



TWR6011160



TWC6011H00



TWC60A2D10



PS00CSLCA1



get-it



TKO10C1190  
+  
TKBREG15PU





TKO10C1390  
+ TKBREG15PU



PS00CSLCA1

target



TG50AE3PT5  
+ TGBREG15PU







TG51ME3PS5



TG50AE3PT5  
+ TGBREG15PU



TG51ME3PS5

# Selection

passepourtout

passepourtout



86

pass.i



96

pass



100

passepoutout



PS00CSLCA1



PS00FTLCZ1



passepourtout



PS10CSLCA1



PS00CSLCA1



PS13ASLCA1



PS12FTLCZ1



PS12CSLCZ1

passepourtout



PS03CSLCZ1





passe-partout



PS10CSLCA1



PS00CSLCA1



PS10FTLCZ1



PS00FTLCZ1



PS03CSLCZ1



PS13ASLCA1



PS13CSLCA1



PS13FTLCZ1

pass.i





PPV0OF2D00



PPV0LA2D00





pass

pass.i



PPV0AC2D00



PPV0OF2D00



PPV0PG2D00



PPV0MC2D00



PPV0LA2D00



PPV0OA2D00

pass



PPV0AT1D00



PPV0OT1D00



PPV0PT1D00



PPV0MT1D00



PPV0LT1D00



PPV0OT1D00

# Selection

community

basic



106



basic



BA01FTLPZ1



joint





BA01FTLPZ1  
+ BA2TAV2BR

basic



BA10FTLPA1



BA01FTLPZ1



BA12P02CZ1



# Selection

lounge

business class



114

matrix



120

style



124

zed



128

shell



132

BS01P12B04

business class

BS01P32B04





BS02P32B04



BS02P12B04



BSTAV244



business class



BS11P1SB0  
4

BS02P1SB0  
4

BS02P11B04



BS02P12B04

BS02P32B04

BSTAV44

BSTAV34

matrix



MX1D000000



MXQD200000



MX3D000000

matrix



MX3D000000



style



STA10A0C00



style



STA10A0C00



STA20A0C00



MXQD200000

zed



N6Z0000020







N6Z0000020

shell



SL01P12P04



BSTAV244





SL01P12P04

shell







technical data

138


**eva**  
executive




**eva**  
manager




**eva**  
meeting




**eva**  
cantilever




**hera**  
executive




**hera**  
manager




**hera**  
meeting




**hera**  
cantilever




**time**  
executive




**time**  
manager




**time**  
meeting




**time**  
cantilever




madera  
executive




madera  
manager




madera  
meeting




madera  
cantilever




madera elite  
executive




madera elite  
manager




madera elite  
meeting




madera elite  
cantilever




age  
executive




age  
manager



age  
cantilever




senior  
executive







senior  
manager




senior  
meeting




senior  
cantilever




sit.go  
manager-operative




camaleont air  
manager-operative




camaleont air  
cantilever




camaleont  
manager-operative




camaleont  
cantilever




team air  
manager




team air  
operative




team air  
meeting




team up manager  
manager




team up smart  
operative




team w. medium back  
operative




team  
meeting




team  
cantilever




team  
cantilever




team  
4 legs




get-it  
operative




target  
operative




target  
operative




passepartout air  
cantilever




passepartout medium back  
cantilever




passepartout high back  
cantilever




passe-partout  
4 legs




pass.i  
stackable cantilever




pass  
cantilever




basic  
4 legs




basic  
public seating




basic  
public seating




business class 1 seat  
loung seating




business class 3 seat  
sofa




business class corner  
loung seating




business class modular  
loung seating modular



business class tables




matrix 1 seat  
loung seating







matrix 3 seat  
sofa




matrix tables




style 1 seat  
soft seating




style 2 seat  
soft seating



zed  
soft seating




shell  
waiting area




Selection

upholstery


**B4** 100% Polypropylene. Weight: 270 gr/m². Abrasion resistance: 40.000 rubs Martindale BS 5690. Pilling: 4-5, 5.000 rubs. Flammability: EN 1021 1&2 (cigarette and match test). Light fastness: 5/6 EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105-X12 Oeko-Tex Standard 100



**BN** 100% Polyester. Weight: 250 g/m². Abrasion resistance: 100.000 rubs Martindale EN ISO 12947-2. Flammability: EN 1021 1&2 (cigarette and match test) CRIB 5. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105-X12 Oeko-Tex Standard 100




**CA** 100% Modacrylic FR. Weight: 290 g/m². Abrasion resistance: 30.000 rubs Martindale BS 5690. Flammability: fire-retardant properties Class 1, Italian law. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/4 EN ISO 105X12




Selection

upholstery


**K1** 100% Polyester Trevira CS. Weight: 300 g/m². Abrasion resistance: 50.000 rubs Martindale EN ISO 12947-2. Flammability: fire-retardant properties CRIB 5. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105X12. Oeko-Tex Standard 100



**KM** 100% Polyester Trevira CS. Weight: 330 g/m². Abrasion resistance: 40.000 rubs Martindale EN ISO 12947-2. Flammability: fire-retardant properties CRIB 5. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105X12 Oeko-Tex Standard 100



**Z** 64% Cotton. 36% Polyurethane. Weight: 300 g/m². Abrasion resistance: 100.000 rubs Martindale EN ISO 12947 1-2. Flammability: BS 5852-1 Cigarette test. Transpiring, ecological fabric completely biodegradable




Selection

upholstery

IL

91% Pure New Wool, 7% Nylon, 2% Polyester. Weight: 353 gr/m². Abrasion resistance: 100.000 rubs Martindale. Flammability: EN 1021 1&2 (cigarette and match test) BS 7176 Low Hazard. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/4 EN ISO 105X12




AB 

100% Xtreme FR®. Weight: 310 g/m². Abrasion resistance: 100.000 rubs Martindale. Flammability: EN 1021 1&2 (cigarette and match test) CRIB 5. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105X12



TE 

100% PL FR Trevira CS. Weight: 450 g/m². Abrasion resistance: 70.000 rubs Martindale. Flammability: EN 1021 1&2 (cigarette and match test) BS 5852 CRIB 5. Light fastness: EN ISO 105-B02 Oeko-Tex Standard 100




Selection

upholstery


AP

100% Polyester. Weight: 230 g/m². Abrasion resistance: 40.000 rubs Martindale. Flammability: EN 1021 1-2 (match test) Vacuum-clean frequently, clean with damp cloth, do not scrub, dry up at room temperature




C

100% Worsted wool. Weight: 373 g/m². Abrasion resistance: 50.000 rubs Martindale EN ISO 12947-2. Flammability: EN 1021 1&2 (cigarette and match test) BS 5852 CRIB 5. Light fastness: EN ISO 105-B02. Fastness to rubbing: 4/5 EN ISO 105X12 Ecolabel Flower DK/16/20



IP


Stretch fabric 100% Polyester FR Trevira CS. Weight: 330 g/m². Abrasion test: 50.000 rubs Martindale. Light fastness: (Xenotest) UNI EN ISO 105 B02 5 +/- 1. Fire-retardant properties: Class 1, Italian law - B1 DIN 4102 IMO 688 (17), IMO 563 (14), IMO 653 (16)






Selection

upholstery

mesh  Fire-retardant Mesh. 100% PES TREVIRA CS. Weight: 243 g/m². Abrasion resistance: 30.000 rubs Martindale. Flammability: Fire-retardant properties Class 1 Italian Law


camaleont



mesh Elastic Mesh. 70% PVC - 30% PES. Weight: 565 g/m². Clean with damp soapy cloth rinse well with water

team air

passe-partout air



Selection

upholstery

TC

46% PL, 25% PU, 21% PA, 8% EA. Weight: 555 g/m². Abrasion resistance: 50.000 rubs Martindale EN ISO 12947 1-2. Maintenance: wash at 30°C, iron at low temperature



N


Ecological leather. Composition: PVC 80% - Polyester 20%. Weight: 550 g/m². Clean with damp soapy cloth and rinse well with water. Do not use solvents, bleach, chemical detergents, or spray



S



Buffed real leather from European hides. Solid and durable colours.




Selection

upholstery

TS

Full grain real leather with a smooth and soft grain, carefully selected from top quality European hides. Solid and durable colours.




MS

Full grain real leather with a smooth and soft grain, carefully selected from top quality European hides. Aniline colours, solid and durable. Fastness to light: ≥3. Colour fastness to rubbing: 150/1000 rubs - IUF 450 (wet/dry). Cigarette test: BS 5852 - 1 / 79



wood finishings



Selection


upholstery

ZR


Composition: 54,2% PU, 26,3% PES, Cotton 19,5%. Weight: 440 g/m². Abrasion resistance: 51.200 rubs Martindale UNI EN ISO 12947-2. Flammability BS 5852:2006 Clause 11 (Crib 5); BS 7176/EN 1021 parts 1&2. Light fastness: EN ISO 105-B02. Fastness to rubbing: 105-X 12



coloured  
Polyurethanes  
pass.i



plastics  
pass  
pass.i



# SitLand

[www.sitland.com](http://www.sitland.com)



## SITLAND SPA

Headquarters and plant  
are located in Nanto  
(Vicenza).

Total roofed surface:  
20.000 sqm.

Founded in 1977,  
SitLand exports to 54  
Countries in the world.

## Company Certificates:

UNI EN ISO 9001: 2008  
certificate N° 50 100 3354

UNI EN ISO 14001: 2004  
certificate N° 50 100 5850



The SitLand's products  
are conceived according  
European standards,  
the most representative  
of them have been  
tested by prestigious  
Institutes.

**SitLand spa**  
via Ca' Silvestre 52  
36024 Nanto (Vicenza) Italy  
Tel. +39 0444 637100  
fax +39 0444 638407  
[info@sitland.com](mailto:info@sitland.com)

The images regarding the finishing, the fabrics and leather categories for upholstery are purely shown as an indication and do not bind the manufacturer in any way.  
SitLand S.p.A. reserves the right to effect amendments/modifications to its products and to the finishing shown in the present catalogue without any notice whatsoever.  
The encoding referred at the products shown on this catalogue has to be considered approximate.




EN-1335

EN-1728

EN-1022







SitLand  
[www.sitland.com](http://www.sitland.com)